ARB's Regulations to Ensure Low Emissions from HDDEs

Stephan Lemieux Air Resources Board

September 20, 2006



Are HDDEs Cleaner?

- Progressively more stringent certification emission standards
- Uncertainty with in-use emissions
 - Limited in-use test data
 - Certified with an engine dynamometer
 - Required engine dynamometer compliance testing
 - Costly
 - Time-consuming
 - Little relevance to real-world emissions



1990s Off-Cycle NOx

- 7 manufacturers alleged to have turned off emission control devices on HDDVs during highway driving
- Resulted in large increases of in-use NOx emissions from HDDVs
- Settlement Agreements signed 1998
 - Elimination of off-cycle emissions through additional certification tests: ESC, NTE
 - Pull ahead of 2004 standards to Oct. 2002
 - Other requirements




Multi-Facet Approach to Reducing HDDE Emissions

CERTIFICATION	EFFECTIVE DATE
Emission Standards	Continuous
NTE Compliance	2005 MY
IN-USE	EFFECTIVE DATE
In-Use Compliance	Dec. 2007 (gas)
Testing	Oct. 2008 (PM)
OBD Compliance	2007 MY (EMD)
	2010 MY (OBD)




HDDE Emission Standards





Introduction of NTE Test

- Required for certification
 - Started 1999 in SA
 - By Oct. 2002, elimination of offcycle emissions
 - 2005 MY for all engines
- Not a cycle but area of engine operation
- Allows real-world inuse testing on chassis





Keeping In-Use Engines Clean *In-Use Compliance Testing*



Sensor's Semtech-D

- Detects bad designs and durability issues
- NTE compliance
- Over-the-road testing with PEMS
- Real-world conditions
- Identical to federal program




In-Use Compliance Testing

- ARB/EPA select engine families
- Manufacturers screen, procure, and test HDDEs
- Up to 25% of EFs tested annually
- Testing conducted in two phases
- Emissions compared with vehicle pass criteria for pass or fail
- Manufacturers subject to remedial action



Keeping In-Use Engines Clean *HD On-Board Diagnostics*

- Detects emission related failures
- EMD in 2007
 - Basic system
 - Not tied to emission levels
- OBD phased-in 2010 to 2016
 - Comprehensive
 - Uses sensor information to judge performance of emission controls





HD On-Board Diagnostics

- Threshold monitoring
 - Warning light when emissions increase by a certain percentage
 - 8-10 checks per engine, e.g., PM filter, EGR, NOx catalyst, fuel system
- Non-threshold monitoring
 - Functional, rational, electrical
 - > 75-100 checks per engine
- OBD testing and validation



Conclusion

- Clean new engines through stringent emission standards
- Off-cycle emissions controlled with NTE requirements
- Low engine emissions sustained on the road through in-use compliance and OBD

